



Demographic Information

Call Name	Cher	DOB	July 12, 2021
Registered Name	Cher Dark Lady	Registration Number	
Breed	Standard Poodle	Tattoo	
Sex	F	Microchip	
Owner	Mary Painter	Laboratory #	AN-22-011520
		Report Date	November 22, 2022

These tests were developed and performed by Paw Print Genetics®, Spokane WA.

Explanation of Results

Normal	A 'Normal' result means that your dog does not have the mutation that causes the associated genetic disease.
Carrier	A 'Carrier' result indicates that your dog has inherited one copy of the mutation that has been reported to cause this genetic disease. Your dog may not be clinically affected by this mutation because two copies of the mutation are usually required to cause disease.
Carrier / At-Risk	A 'Carrier / At-Risk' result indicates that your dog inherited one copy of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one mutant copy of the gene may result in the disease. Dogs with one copy of the mutation may have a milder phenotype as compared to dogs with two copies of this mutation.
At-Risk / Affected	An 'At-Risk / Affected' result indicates that your dog inherited one or two copies of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one or two mutant copies of the gene may result in the disease.
No Result	'No Result' indicates that we were unable to obtain a genotype for your dog for this specific disease or trait and does not mean that your dog is a carrier or at-risk for this disease. There are a variety of reasons why a specific test may not provide a reportable result. Unique variations in the genetic code of some individuals may exist and cause certain regions of the genome to not perform properly with a specific test. In addition, suboptimal sampling of the dog's cheek cells could also result in poor sample performance due to inadequate cell counts, bacterial and fungal growth, or the presence of other test inhibitors. An acceptable level of tests with no results has been determined by Paw Print Genetics. Dogs with at least 90% of the test results are determined to be acceptable and reportable. If your dog has an

unacceptable level of tests with no results, you will be contacted for a new sample to repeat the testing.

Please review our [testing terms and disclaimers](#) regarding your results.

WT: wild type (normal) M: mutant Y: Y chromosome (male)

Breed Profile

WT: wild type (normal) M: mutant Y: Y chromosome (male)

Coat Colors & Traits

Trait Name

Geno.

Interpretation

WT: wild type (normal) M: mutant Y: Y chromosome (male)

Determinants of coat colors and traits are complex. Many of these variants are known and many of the genes screened in the Canine HealthCheck interact. In addition, not all the genetic factors that contribute to a dog's coat color and traits are known. Because of the complexities in gene-gene interactions, the coat colors and traits reported in your Canine HealthCheck results may vary from your dog's actual appearance. Individual differences in genes throughout the canine genome, not tested in this genetic screen, may also affect the final coat color or traits seen in your dog.


Diseases

Disease Name

Geno.

Interpretation

WT: wild type (normal) M: mutant Y: Y chromosome (male)



Blake C Ballif, PhD

Laboratory & Scientific Director



Christina J Ramirez, PhD, DVM, DACVP

Medical Director

Canine HealthCheck® is a product of Paw Print Genetics®. This test was developed and its performance determined by Paw Print Genetics. This laboratory has established and verified the test's accuracy and precision with >99% sensitivity and specificity. The results included in this report relate only to the items tested using the sample provided. The presence of mosaicism may not be detected by this test. Non-paternity may lead to unexpected results. This is not a diagnostic test. This is not a breed identification test. Because all tests are DNA-based, rare genomic variations may interfere with the performance of some individual tests producing false results. If you think any results are in error, please contact the laboratory for further evaluation.



Demographic Information

Call Name	Cher	DOB	July 12, 2021
Registered Name	Cher Dark Lady	Registration Number	
Breed	Standard Poodle	Tattoo	
Sex	F	Microchip	
Owner	Mary Painter	Laboratory #	AN-22-011520
		Report Date	November 22, 2022

These tests were developed and performed by Paw Print Genetics®, Spokane WA.

Explanation of Results

Normal A 'Normal' result means that your dog does not have the mutation that causes the associated genetic disease.

Carrier A 'Carrier' result indicates that your dog has inherited one copy of the mutation that has been reported to cause this genetic disease. Your dog may not be clinically affected by this mutation because two copies of the mutation are usually required to cause disease.

Carrier / At-Risk A 'Carrier / At-Risk' result indicates that your dog inherited one copy of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one mutant copy of the gene may result in the disease. Dogs with one copy of the mutation may have a milder phenotype as compared to dogs with two copies of this mutation.

At-Risk / Affected An 'At-Risk / Affected' result indicates that your dog inherited one or two copies of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one or two mutant copies of the gene may result in the disease.

No Result 'No Result' indicates that we were unable to obtain a genotype for your dog for this specific disease or trait and does not mean that your dog is a carrier or at-risk for this disease. There are a variety of reasons why a specific test may not provide a reportable result. Unique variations in the genetic code of some individuals may exist and cause certain regions of the genome to not perform properly with a specific test. In addition, suboptimal sampling of the dog's cheek cells could also result in poor sample performance due to inadequate cell counts, bacterial and fungal growth, or the presence of other test inhibitors. An acceptable level of tests with no results has been determined by Paw Print Genetics. Dogs with at least 90% of the test results are determined to be acceptable and reportable. If your dog has an

unacceptable level of tests with no results, you will be contacted for a new sample to repeat the testing.

Please review our [testing terms and disclaimers](#) regarding your results.

WT: M: Y:

Breed Profile

Disease Name	Geno.	Interpretation
--------------	-------	----------------

<u>Degenerative Myelopathy</u>	WT/WT	<input type="text" value="Normal (Clear)"/>
--------------------------------	-------	---

Degenerative Myelopathy (Bernese Mountain Dog Variant)	0	
Degenerative Myelopathy (Common Variant)	0	

<u>GM2 Gangliosidosis</u> <u>Poodle Type</u>	WT/WT	<input type="text" value="Normal (Clear)"/>
---	-------	---

<u>Hereditary Cataracts</u>	WT/WT	<input type="text" value="Normal (Clear)"/>
-----------------------------	-------	---

<u>Intervertebral Disc Disease Risk Factor and Chondrodystrophy</u> <u>CDDY with IVDD</u>	WT/WT	<input type="text" value="Normal (Clear)"/>
--	-------	---

<u>Multidrug Resistance 1</u>	WT/WT	<input type="text" value="Normal (Clear)"/>
-------------------------------	-------	---

<u>Neonatal Encephalopathy with Seizures</u>	WT/WT	<input type="text" value="Normal (Clear)"/>
--	-------	---

<u>Osteochondrodysplasia</u>	WT/WT	<input type="text" value="Normal (Clear)"/>
------------------------------	-------	---

<u>Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration</u> <u>prcd</u>	WT/WT	<input type="text" value="Normal (Clear)"/>
--	-------	---

<u>Progressive Retinal Atrophy, Rod-Cone Dysplasia 4</u>	WT/WT	<input type="text" value="Normal (Clear)"/>
--	-------	---

<u>Von Willebrand Disease I</u>	WT/WT	<input type="text" value="Normal (Clear)"/>
---------------------------------	-------	---

WT: M: Y:

Coat Colors & Traits

Trait Name	Geno.	Interpretation
------------	-------	----------------

<u>A Locus</u> <u>Agouti</u>	a ^t /a ^t	Tricolor, black and tan
---------------------------------	--------------------------------	-------------------------

<u>A^s Locus</u> <u>Saddle Tan</u>	N/A ^s	Saddle tan/creeping tan (non saddle tan carrier)
---	------------------	---

<u>B Locus</u> <u>Brown</u>	B/B	Black coat, nose and foot pads
--------------------------------	-----	-----------------------------------

B Locus (Brown) - b ^a	0	
B Locus (Brown) - b ^c	0	

B Locus (Brown) - b ^d	0	
B Locus (Brown) - b ^s	0	
<u>Brachycephaly</u>	BR/BR	Likely medium to long muzzle
<u>Chondrodysplasia</u> <u>CDPA</u>	cd/cd	Likely typical leg length
<u>Co Locus</u> <u>Cocoa, French Bulldog Type</u>	Co/Co	Black coat, nose and foot pads (does not carry cocoa)
<u>Cu Locus</u> <u>Curly Hair</u>	Cu ^C /Cu ^C	Curly coat
<u>D Locus</u> <u>Dilute</u>	D/D	Non dilute
D Locus (Dilute) - d ¹	0	
D Locus (Dilute) - d ²	0	
<u>E Locus</u> <u>Yellow/Red</u>	E/e	Black (carries yellow/red)
<u>E^g Locus</u> <u>Grizzle, Afghan Hound Type</u>	N/N	No grizzle
<u>E^h Locus</u> <u>Sable, Cocker Spaniel Type</u>	N/N	No sable
<u>E^m Locus</u> <u>Melanistic Mask</u>	N/N	No melanistic mask
<u>H Locus</u> <u>Harlequin, Great Dane Type</u>	h/h	No harlequin
<u>Hr Locus</u> <u>FOXI3 Hairless Gene Test, Mexican Hairless, Peruvian Hairless and Chinese Crested Type</u>	hr/hr	Coated
<u>I Locus</u> <u>Intensity</u>	I/I	Normal intensity
<u>IC Locus</u> <u>Improper Coat/Furnishings</u>	F/F	Furnishings
<u>K Locus</u> <u>Dominant Black</u>	K ^B /k ^y	No agouti expression allowed (carrier)
<u>L Locus</u> <u>Long Hair/Fluffy</u> <u>- Lh¹, Lh², Lh⁴</u>	Lh/Lh	Longhaired
L Locus (Long Hair/Fluffy) - Lh ¹	2	
L Locus (Long Hair/Fluffy) - Lh ²	0	
L Locus (Long Hair/Fluffy) - Lh ⁴	0	
<u>M Locus</u>	m/m	Non merle

Merle

Polydactyly

pd/pd

Normal (typical) toes
(likely no hind dewclaws)

S Locus

White Spotting, Parti, or Piebald

S/s^P

Limited white spotting,
flash, parti, or piebald
(carrier)

SD Locus

Shedding

sd/SD

Moderate shedding

Sex Determination - ZFX/Y

X/X

Female

T Locus

Natural Bobtail

t/t

Normal tail

WT: **wild type (normal)**

M: **mutant**

Y: **Y chromosome (male)**

Determinants of coat colors and traits are complex. Many of these variants are known and many of the genes screened in the Canine HealthCheck interact. In addition, not all the genetic factors that contribute to a dog's coat color and traits are known. Because of the complexities in gene-gene interactions, the coat colors and traits reported in your Canine HealthCheck results may vary from your dog's actual appearance. Individual differences in genes throughout the canine genome, not tested in this genetic screen, may also affect the final coat color or traits seen in your dog.

Diseases

Disease Name

Geno.

Interpretation

Acral Mutilation Syndrome

WT/WT

Normal (Clear)

Acute Respiratory Distress Syndrome

WT/WT

Normal (Clear)

Adult Paroxysmal Dyskinesia

WT/WT

Normal (Clear)

Alaskan Husky Encephalopathy

WT/WT

Normal (Clear)

Alaskan Malamute Polyneuropathy

WT/WT

Normal (Clear)

Amelogenesis Imperfecta

WT/WT

Normal (Clear)

Ataxia

Norwegian Buhund Type

WT/WT

Normal (Clear)

Benign Familial Juvenile Epilepsy

WT/WT

Normal (Clear)

Canine Multiple System Degeneration
Chinese Crested Type

WT/WT

Normal (Clear)

Canine Multiple System Degeneration
Kerry Blue Terrier Type

WT/WT

Normal (Clear)

Canine Scott Syndrome

WT/WT

Normal (Clear)

Catalase Deficiency

WT/WT

Normal (Clear)

Centronuclear Myopathy

WT/WT

Normal (Clear)

Cerebellar Ataxia

WT/WT

Normal (Clear)

Finnish Hound TypeCerebellar Ataxia 1
Belgian Shepherd Type

WT/WT

Normal (Clear)

Cerebellar Cortical Degeneration

WT/WT

Normal (Clear)

Cerebellar Degeneration

WT/WT

Normal (Clear)

ChondrodysplasiaKarelian Bear Dog and Norwegian Elkhound Type

WT/WT

Normal (Clear)

Cleft Palate and SyndactylyNova Scotia Duck Tolling Retriever Type

WT/WT

Normal (Clear)

Coagulation Factor VII Deficiency

WT/WT

Normal (Clear)

Collie Eye Anomaly

WT/WT

Normal (Clear)

Complement 3 Deficiency

WT/WT

Normal (Clear)

Cone Degeneration

WT/WT

Normal (Clear)

Cone DegenerationGerman Shepherd Dog Type

WT/WT

Normal (Clear)

Cone DegenerationGerman Shorthaired Pointer Type

WT/WT

Normal (Clear)

Cone DegenerationLabrador Retriever Type

WT/WT

Normal (Clear)

Congenital Hypothyroidism with Goiter
Terrier Type

WT/WT

Normal (Clear)

Congenital Methemoglobinemia

WT/WT

Normal (Clear)

Congenital Myasthenic Syndrome
Jack Russell Terrier Type

WT/WT

Normal (Clear)

Congenital Myasthenic Syndrome
Labrador Retriever Type

WT/WT

Normal (Clear)

Congenital Myasthenic Syndrome
Old Danish Pointer Type

WT/WT

Normal (Clear)

Congenital Stationary Night Blindness

WT/WT

Normal (Clear)

Craniomandibular Osteopathy

WT/WT

Normal (Clear)

Cyclic Neutropenia

WT/WT

Normal (Clear)

CystinuriaAustralian Cattle Dog Type

WT/WT

Normal (Clear)

CystinuriaLabrador Retriever Type

WT/WT

Normal (Clear)

CystinuriaMiniature Pinscher Type

WT/WT

Normal (Clear)

<u>Cystinuria Newfoundland Type</u>	WT/WT	Normal (Clear)
<u>Cystinuria Type 3 Bulldog Type Risk Factor, Variant 3</u>	WT/WT	Normal (Clear)
<u>Cystinuria Type 3 Bulldog Type Risk Factor, Variants 1 and 2</u>	WT/WT	Normal (Clear)
Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 1)	0	
Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 2)	0	
<u>Dandy-Walker-Like Malformation</u>	WT/WT	Normal (Clear)
<u>Degenerative Myelopathy</u>	WT/WT	Normal (Clear)
Degenerative Myelopathy (Bernese Mountain Dog Variant)	0	
Degenerative Myelopathy (Common Variant)	0	
<u>Degenerative Myelopathy Early-Onset Risk Modifier Pembroke Welsh Corgi Type</u>	WT/WT	Normal (Clear)
<u>Dental Hypomineralization</u>	WT/WT	Normal (Clear)
<u>Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis</u>	WT/WT	Normal (Clear)
<u>Dilated Cardiomyopathy Doberman Pinscher Type Risk Factor, Variant 1</u>	WT/WT	Normal (Clear)
<u>Dilated Cardiomyopathy Doberman Pinscher Type Risk Factor, Variant 2</u>	WT/WT	Normal (Clear)
<u>Dilated Cardiomyopathy Schnauzer Type</u>	WT/WT	Normal (Clear)
<u>Dry Eye Curly Coat Syndrome</u>	WT/WT	Normal (Clear)
<u>Dystrophic Epidermolysis Bullosa</u>	WT/WT	Normal (Clear)
<u>Early Retinal Degeneration</u>	WT/WT	Normal (Clear)
<u>Ectodermal Dysplasia Chesapeake Bay Retriever Type</u>	WT/WT	Normal (Clear)
<u>Ectodermal Dysplasia, X-Linked Dachshund Type</u>	WT/WT	X-Linked Female Normal
<u>Ectodermal Dysplasia, X-Linked Shepherd Type</u>	WT/WT	X-Linked Female Normal
<u>Ehlers-Danlos Syndrome</u>	WT/WT	Normal (Clear)
Ehlers-Danlos Syndrome (Variant 1)	0	
Ehlers-Danlos Syndrome (Variant 2)	0	
<u>Elliptocytosis</u>	WT/WT	Normal (Clear)
<u>Epidermolytic Hyperkeratosis</u>	WT/WT	Normal (Clear)

<u>Episodic Falling Syndrome</u>	WT/WT	Normal (Clear)
<u>Exercise-Induced Collapse</u>	WT/WT	Normal (Clear)
<u>Factor XI Deficiency</u>	WT/WT	Normal (Clear)
<u>Familial Nephropathy Cocker Spaniel Type</u>	WT/WT	Normal (Clear)
<u>Familial Nephropathy English Springer Spaniel Type</u>	WT/WT	Normal (Clear)
<u>Fucosidosis</u>	WT/WT	Normal (Clear)
<u>Gallbladder Mucoceles</u>	WT/WT	Normal (Clear)
<u>Glanzmann's Thrombasthenia Great Pyrenees Type</u>	WT/WT	Normal (Clear)
<u>Glanzmann's Thrombasthenia Otterhound Type</u>	WT/WT	Normal (Clear)
<u>Glaucoma Border Collie Type</u>	WT/WT	Normal (Clear)
<u>Globoid Cell Leukodystrophy Irish Setter Type</u>	WT/WT	Normal (Clear)
<u>Globoid Cell Leukodystrophy Terrier Type</u>	WT/WT	Normal (Clear)
<u>Glycogen Storage Disease Ia</u>	WT/WT	Normal (Clear)
<u>Glycogen Storage Disease IIIa</u>	WT/WT	Normal (Clear)
<u>Glycogen Storage Disease VII Wachtelhund Type</u>	WT/WT	Normal (Clear)
<u>Glycogen Storage Disease VII, PFK Deficiency</u>	WT/WT	Normal (Clear)
<u>GM1 Gangliosidosis Alaskan Husky Type</u>	WT/WT	Normal (Clear)
<u>GM1 Gangliosidosis Portuguese Water Dog Type</u>	WT/WT	Normal (Clear)
<u>GM1 Gangliosidosis Shiba Inu Type</u>	WT/WT	Normal (Clear)
<u>GM2 Gangliosidosis Japanese Chin Type</u>	WT/WT	Normal (Clear)
<u>GM2 Gangliosidosis Poodle Type</u>	WT/WT	Normal (Clear)
<u>Greyhound Polyneuropathy</u>	WT/WT	Normal (Clear)
<u>Hemophilia A Boxer Type</u>	WT/WT	X-Linked Female Normal
<u>Hemophilia A</u>	WT/WT	X-Linked Female Normal

<u>German Shepherd Dog, Type 1</u>		
<u>Hemophilia A</u> <u>German Shepherd Dog, Type 2</u>	WT/WT	X-Linked Female Normal
<u>Hemophilia B</u> <u>Cairn Terrier Type</u>	WT/WT	X-Linked Female Normal
<u>Hemophilia B</u> <u>Lhasa Apso Type</u>	WT/WT	X-Linked Female Normal
<u>Hemophilia B</u> <u>Rhodesian Ridgeback Type</u>	WT/WT	X-Linked Female Normal
<u>Hereditary Cataracts</u>	WT/WT	Normal (Clear)
<u>Hereditary Cataracts</u> <u>Australian Shepherd Type</u>	WT/WT	Normal (Clear)
<u>Hereditary Footpad Hyperkeratosis</u> <u>Irish Terrier and Kromfohländer Type</u>	WT/WT	Normal (Clear)
<u>Hereditary Nasal Parakeratosis</u>	WT/WT	Normal (Clear)
<u>Hereditary Nasal Parakeratosis</u> <u>Greyhound Type</u>	WT/WT	Normal (Clear)
<u>Hereditary Nephritis</u> <u>Samoyed Type</u>	WT/WT	X-Linked Female Normal
<u>Hyperuricosuria</u>	WT/WT	Normal (Clear)
<u>Hypomyelination</u> <u>Weimaraner Type</u>	WT/WT	Normal (Clear)
<u>Ichthyosis</u> <u>American Bulldog Type</u>	WT/WT	Normal (Clear)
<u>Ichthyosis</u> <u>Golden Retriever Type 1</u>	WT/WT	Normal (Clear)
<u>Ichthyosis</u> <u>Golden Retriever Type 2</u>	WT/WT	Normal (Clear)
<u>Ichthyosis</u> <u>Great Dane Type</u>	WT/WT	Normal (Clear)
<u>Inherited Myopathy of Great Danes</u>	WT/WT	Normal (Clear)
<u>Intervertebral Disc Disease Risk Factor and</u> <u>Chondrodystrophy</u> <u>CDDY with IVDD</u>	WT/WT	Normal (Clear)
<u>Intestinal Cobalamin Malabsorption</u> <u>Beagle Type</u>	WT/WT	Normal (Clear)
<u>Intestinal Cobalamin Malabsorption</u> <u>Border Collie Type</u>	WT/WT	Normal (Clear)
<u>Juvenile Laryngeal Paralysis and Polyneuropathy</u>	WT/WT	Normal (Clear)
<u>Juvenile Myoclonic Epilepsy</u>	WT/WT	Normal (Clear)

<u>Rhodesian Ridgeback Type</u>		
<u>L-2-Hydroxyglutaric Aciduria</u> <u>Staffordshire Bull Terrier Type</u>	WT/WT	Normal (Clear)
<u>Lagotto Storage Disorder</u>	WT/WT	Normal (Clear)
<u>Late Onset Ataxia</u>	WT/WT	Normal (Clear)
<u>Lethal Acrodermatitis</u>	WT/WT	Normal (Clear)
<u>Leukocyte Adhesion Deficiency, Type I</u>	WT/WT	Normal (Clear)
<u>Leukocyte Adhesion Deficiency, Type III</u>	WT/WT	Normal (Clear)
<u>Ligneous Membranitis</u>	WT/WT	Normal (Clear)
<u>Lundehund Syndrome</u>	WT/WT	Normal (Clear)
<u>Macular Corneal Dystrophy</u> <u>Labrador Retriever Type</u>	WT/WT	Normal (Clear)
<u>May-Hegglin Anomaly</u>	WT/WT	Normal (Clear)
<u>Mucopolysaccharidosis I</u>	WT/WT	Normal (Clear)
<u>Mucopolysaccharidosis IIIA</u> <u>Dachshund Type</u>	WT/WT	Normal (Clear)
<u>Mucopolysaccharidosis IIIA</u> <u>New Zealand Huntaway Type</u>	WT/WT	Normal (Clear)
<u>Mucopolysaccharidosis VII</u> <u>Shepherd Type</u>	WT/WT	Normal (Clear)
<u>Multidrug Resistance 1</u>	WT/WT	Normal (Clear)
<u>Multifocal Retinopathy 1</u>	WT/WT	Normal (Clear)
<u>Multifocal Retinopathy 2</u>	WT/WT	Normal (Clear)
<u>Multifocal Retinopathy 3</u>	WT/WT	Normal (Clear)
<u>Muscular Dystrophy</u> <u>Golden Retriever Type</u>	WT/WT	X-Linked Female Normal
<u>Musladin-Lueke Syndrome</u>	WT/WT	Normal (Clear)
<u>Myostatin Deficiency</u> <u>Whippet and Longhaired Whippet Type</u>	WT/WT	Normal (Clear)
<u>Myotonia Congenita</u> <u>Australian Cattle Dog Type</u>	WT/WT	Normal (Clear)
<u>Myotonia Congenita</u> <u>Schnauzer Type</u>	WT/WT	Normal (Clear)
<u>Myotubular Myopathy 1</u>	WT/WT	X-Linked Female Normal
<u>Myotubular Myopathy 1</u> <u>Rottweiler Type</u>	WT/WT	X-Linked Female Normal

<u>Narcolepsy Dachshund Type</u>	WT/WT	Normal (Clear)
<u>Narcolepsy Doberman Pinscher Type</u>	WT/WT	Normal (Clear)
<u>Narcolepsy Labrador Retriever Type</u>	WT/WT	Normal (Clear)
<u>Neonatal Cerebellar Cortical Degeneration</u>	WT/WT	Normal (Clear)
<u>Neonatal Encephalopathy with Seizures</u>	WT/WT	Normal (Clear)
<u>Neuroaxonal Dystrophy Rottweiler Type</u>	WT/WT	Normal (Clear)
<u>Neuroaxonal Dystrophy Spanish Water Dog Type</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis Tibetan Terrier Type</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 1</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 1 Cane Corso Type</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 10</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 12</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 2</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 4A</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 5 Australian Cattle Dog/Border Collie Type</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 5 Golden Retriever Type</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 6</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 7</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 8 Australian Shepherd Type</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 8 Setter Type</u>	WT/WT	Normal (Clear)
<u>Oculocutaneous Albinism</u>	WT/WT	Normal (Clear)
<u>Oculocutaneous Albinism Small Breed Type</u>	WT/WT	Normal (Clear)
<u>Osteochondrodysplasia</u>	WT/WT	Normal (Clear)
<u>Osteogenesis Imperfecta Beagle Type</u>	WT/WT	Normal (Clear)


<u>Osteogenesis Imperfecta Dachshund Type</u>	No Result	No Result
<u>Osteogenesis Imperfecta Golden Retriever Type</u>	WT/WT	Normal (Clear)
<u>P2RY12 Receptor Platelet Disorder</u>	WT/WT	Normal (Clear)
<u>Pembroke Welsh Corgi Duchenne Muscular Dystrophy</u>	WT/WT	X-Linked Female Normal
<u>Persistent Müllerian Duct Syndrome</u>	WT/WT	Normal (Clear)
<u>Polyneuropathy Leonberger and Saint Bernard Type</u>	WT/WT	Normal (Clear)
<u>Polyneuropathy Leonberger Type 2</u>	WT/WT	Normal (Clear)
<u>Polyneuropathy with Ocular Abnormalities and Neuronal Vacuolation</u>	WT/WT	Normal (Clear)
<u>Pompe Disease</u>	WT/WT	Normal (Clear)
<u>Prekallikrein Deficiency</u>	WT/WT	Normal (Clear)
<u>Primary Ciliary Dyskinesia</u>	WT/WT	Normal (Clear)
<u>Primary Hyperoxaluria</u>	WT/WT	Normal (Clear)
<u>Primary Lens Luxation</u>	WT/WT	Normal (Clear)
<u>Primary Open Angle Glaucoma</u>	WT/WT	Normal (Clear)
<u>Primary Open Angle Glaucoma Basset Fauve de Bretagne Type</u>	WT/WT	Normal (Clear)
<u>Primary Open Angle Glaucoma Basset Hound Type</u>	WT/WT	Normal (Clear)
<u>Primary Open Angle Glaucoma Norwegian Elkhound Type</u>	WT/WT	Normal (Clear)
<u>Primary Open Angle Glaucoma and Primary Lens Luxation Shar Pei Type</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy Basenji Type</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy Bullmastiff/Mastiff Type</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy Giant Schnauzer Type</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy Irish Setter Type</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy Shetland Sheepdog Type</u>	WT/WT	Normal (Clear)

<u>Progressive Retinal Atrophy, Sloughi Type</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Cone-Rod Dystrophy</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Cone-Rod Dystrophy 1</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Cone-Rod Dystrophy 2</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Cone-Rod Dystrophy 4 crd4/crd1</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Early Onset Spanish Water Dog Type</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Generalized</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Golden Retriever 1</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Golden Retriever 2</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, PRA1 Papillon Type</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, PRA3 Tibetan Terrier and Spaniel Type</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration prcd</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Rod-Cone Dysplasia 3</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Rod-Cone Dysplasia 4</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, X-Linked 1</u>	WT/WT	X-Linked Female Normal
<u>Protein Losing Nephropathy</u>	WT/WT, WT/WT	Normal (Clear) - No Increased Risk
Protein Losing Nephropathy (Variant 1)	0	
Protein Losing Nephropathy (Variant 2)	0	
<u>Pyruvate Dehydrogenase Deficiency</u>	WT/WT	Normal (Clear)
<u>Pyruvate Kinase Deficiency, Basenji Type</u>	No Result	No Result
<u>Pyruvate Kinase Deficiency, Beagle Type</u>	WT/WT	Normal (Clear)
<u>Pyruvate Kinase Deficiency, Labrador Retriever Type</u>	WT/WT	Normal (Clear)
<u>Pyruvate Kinase Deficiency, Pug Type</u>	WT/WT	Normal (Clear)
<u>Pyruvate Kinase Deficiency, Terrier Type</u>	WT/WT	Normal (Clear)

<u>Recurrent Inflammatory Pulmonary Disease</u>	WT/WT	Normal (Clear)
<u>Renal Cystadenocarcinoma and Nodular Dermatofibrosis</u>	WT/WT	Normal (Clear)
<u>Retinal Dysplasia/Oculoskeletal Dysplasia 1</u>	WT/WT	Normal (Clear)
<u>Retinal Dysplasia/Oculoskeletal Dysplasia 2</u>	WT/WT	Normal (Clear)
<u>Sensory Neuropathy, Border Collie Type</u>	WT/WT	Normal (Clear)
<u>Severe Combined Immunodeficiency Disease Terrier Type</u>	WT/WT	Normal (Clear)
<u>Severe Combined Immunodeficiency Disease Wetterhoun Type</u>	WT/WT	Normal (Clear)
<u>Severe Combined Immunodeficiency Disease, X-Linked Basset Hound Type</u>	WT/WT	X-Linked Female Normal
<u>Severe Combined Immunodeficiency Disease, X-Linked Corgi Type</u>	WT/WT	X-Linked Female Normal
<u>Shar-Pei Autoinflammatory Disease</u>	WT/WT	Normal (Clear)
<u>Skeletal Dysplasia 2</u>	WT/WT	Normal (Clear)
<u>Spinal Dysraphism</u>	WT/WT	Normal (Clear)
<u>Spinocerebellar Ataxia</u>	WT/WT	Normal (Clear)
<u>Spondylocostal Dysostosis</u>	WT/WT	Normal (Clear)
<u>Stargardt Disease</u>	WT/WT	Normal (Clear)
<u>Startle Disease</u>	WT/WT	Normal (Clear)
<u>Thrombopathia American Eskimo Dog Type</u>	WT/WT	Normal (Clear)
<u>Thrombopathia Basset Hound Type</u>	WT/WT	Normal (Clear)
<u>Thrombopathia Newfoundland Type</u>	WT/WT	Normal (Clear)
<u>Trapped Neutrophil Syndrome</u>	WT/WT	Normal (Clear)
<u>Urolithiasis Native American Indian Dog Type</u>	WT/WT	Normal (Clear)
<u>Van Den Ende-Gupta Syndrome</u>	WT/WT	Normal (Clear)
<u>Von Willebrand Disease I</u>	WT/WT	Normal (Clear)
<u>Von Willebrand Disease II</u>	WT/WT	Normal (Clear)
<u>Von Willebrand Disease III</u>	WT/WT	Normal (Clear)

<u>Kooikerhondje Type</u>		
<u>Von Willebrand Disease III Scottish Terrier Type</u>	WT/WT	Normal (Clear)
<u>Von Willebrand Disease III Shetland Sheepdog Type</u>	WT/WT	Normal (Clear)

WT: **wild type (normal)** M: **mutant** Y: **Y chromosome (male)**



Blake C Ballif, PhD
Laboratory & Scientific Director



Christina J Ramirez, PhD, DVM, DACVP
Medical Director

Canine HealthCheck® is a product of Paw Print Genetics®. This test was developed and its performance determined by Paw Print Genetics. This laboratory has established and verified the test's accuracy and precision with >99% sensitivity and specificity. The results included in this report relate only to the items tested using the sample provided. The presence of mosaicism may not be detected by this test. Non-paternity may lead to unexpected results. This is not a diagnostic test. This is not a breed identification test. Because all tests are DNA-based, rare genomic variations may interfere with the performance of some individual tests producing false results. If you think any results are in error, please contact the laboratory for further evaluation.