



Demographic Information

Call Name	Simone	DOB	June 14, 2023
Registered Name		Registration Number	
Breed	Standard Poodle	Tattoo	
Sex	Female	Microchip	
Owner	Mary Painter	Laboratory #	423774
		Report Date	October 31, 2023

These tests were developed and performed by Paw Print Genetics®, Spokane WA.

Explanation of Results

Normal A 'Normal' result means that your dog does not have the mutation that causes the associated genetic disease.

Carrier A 'Carrier' result indicates that your dog has inherited one copy of the mutation that has been reported to cause this genetic disease. Your dog may not be clinically affected by this mutation because two copies of the mutation are usually required to cause disease.

Carrier / At-Risk A 'Carrier / At-Risk' result indicates that your dog inherited one copy of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one mutant copy of the gene may result in the disease. Dogs with one copy of the mutation may have a milder phenotype as compared to dogs with two copies of this mutation.

At-Risk / Affected An 'At-Risk / Affected' result indicates that your dog inherited one or two copies of the mutation that has been reported to cause this genetic disease. Based on the mode of genetic inheritance for this particular disease, inheriting one or two mutant copies of the gene may result in the disease.

No Result 'No Result' indicates that we were unable to obtain a genotype for your dog for this specific disease or trait and does not mean that your dog is a carrier or at-risk for this disease. There are a variety of reasons why a specific test may not provide a reportable result. Unique variations in the genetic code of some individuals may exist and cause certain regions of the genome to not perform properly with a specific test. In addition, suboptimal sampling of the dog's cheek cells could also result in poor sample performance due to inadequate cell counts, bacterial and fungal growth, or the presence of other test inhibitors. An acceptable level of tests with no results has been determined by Paw Print Genetics. Dogs with at least 90% of the test results are determined to be acceptable and reportable. If your dog has an unacceptable level of tests with no results, you will be contacted for a new sample to repeat the testing.



Customer & Pet Information

Call Name	Simone	DOB	June 14, 2023
Registered Name	-	Registration #	-
Breed	Standard Poodle	Tattoo	-
Sex	Female	Microchip	-
Owner	Mary Painter	Laboratory #	423774
		Report Date	Oct. 31, 2023

WT: **wild type (normal)** M: **mutant** Y: **Y chromosome (male)**

Breed Profile

Disease Name	Genotype	Interpretation
Degenerative Myelopathy	WT/WT	Normal (Clear)
Degenerative Myelopathy (Bernese Mountain Dog Variant)	0	
Degenerative Myelopathy (Common Variant)	0	
Ehlers-Danlos Syndrome	WT/WT	Normal (Clear)
Ehlers-Danlos Syndrome (Variant 1)	0	
Ehlers-Danlos Syndrome (Variant 2)	0	
GM2 Gangliosidosis (Poodle Type)	WT/WT	Normal (Clear)
Hereditary Cataracts	WT/WT	Normal (Clear)
Intervertebral Disc Disease Risk Factor and Chondrodystrophy (CDDY with IVDD)	WT/WT	Normal (Clear)
Multidrug Resistance 1	WT/WT	Normal (Clear)
Neonatal Encephalopathy with Seizures	WT/WT	Normal (Clear)
Osteochondrodysplasia	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration (prcd)	WT/WT	Normal (Clear)
Progressive Retinal Atrophy, Rod-Cone Dysplasia 4	WT/WT	Normal (Clear)

Von Willebrand Disease I

WT/WT

Normal (Clear)

WT: wild type (normal)

M: mutant

Y: Y chromosome (male)

Coat Colors & Traits

Trait Name	Genotype	Interpretation
A Locus (Agouti)	a ^t /a	Tricolor, black and tan (carries bicolor/solid)
A ^S Locus (Saddle Tan)	N/A ^S	Saddle tan/creeping tan (non saddle tan carrier)
B Locus (Brown)	B/B	Black coat, nose and foot pads (does not carry brown)
B Locus (Brown) - b ^a	0	
B Locus (Brown) - b ^c	0	
B Locus (Brown) - b ^d	0	
B Locus (Brown) - b ^h	0	
B Locus (Brown) - b ^e	0	
B Locus (Brown) - b ^s	0	
Brachycephaly	BR/BR	Likely medium to long muzzle
Chondrodysplasia (CDPA)	cd/cd	Likely typical leg length
Co Locus (Cocoa, French Bulldog Type)	CO/CO	Black coat, nose and foot pads (does not carry cocoa)
Cu Locus (Curly Hair)	Cu/Cu ^C	Curly/wavy coat (carrier)
D Locus (Dilute)	D/D	Non-dilute (does not carry dilute)
D Locus (Dilute) - d ¹	0	
D Locus (Dilute) - d ²	0	
D Locus (Dilute) - d ³	0	

E Locus	E/E	Black
E Locus - E ^m (Melanistic Mask)	0	
E Locus - E ^g (Grizzle, Afghan Hound Type)	0	
E Locus - E ^h (Sable, Cocker Spaniel Type)	0	
E Locus - e ^A (Ancient Red, Spitz and Scent Hound Type)	0	
E Locus - e ¹ (Yellow/Red)	0	
E Locus - e ² (Cream, Australian Cattle Dog Type)	0	
E Locus - e ³ (White, Alaskan and Siberian Husky Type)	0	
H Locus (Harlequin, Great Dane Type)	h/h	No harlequin
Hairlessness	Rh/Rh	Coated
Hairlessness (American Hairless Terrier Type) - rh ¹	0	
Hairlessness (Scottish Deerhound Type) - rh ²	0	
Hr Locus (FOXI3 Hairless Gene Test, Mexican Hairless, Peruvian Hairless and Chinese Crested Type)	hr/hr	Coated
I Locus (Intensity)	i/i	Reduced intensity, likely light shades or white
IC Locus (Improper Coat/Furnishings)	F/F	Furnishings
K Locus (Dominant Black)	K^B/k^y	No agouti expression allowed (carrier)
L Locus (Long Hair/Fluffy)	Lh¹/Lh¹	Longhaired (carries two copies of long hair)
L Locus (Long Hair/Fluffy) - Lh ¹	2	
L Locus (Long Hair/Fluffy) - Lh ²	0	
L Locus (Long Hair/Fluffy) - Lh ³	0	
L Locus (Long Hair/Fluffy) - Lh ⁴	0	
M Locus (Merle)	m/m	Non merle

Polydactyly (Common Variant)	pd/pd	Normal (typical) toes (likely no hind dewclaws)
Polydactyly (Great Pyrenees Type)	WT/WT	Normal (Clear)
R Locus (Roan/Ticked)	r/r	No roan or ticking
R Locus (Roan/Ticked) - R ^{Ti}	0	
R Locus (Roan/Ticked) - R	0	
S Locus (White Spotting, Parti, or Piebald)	S/s^P	Limited white spotting, flash, parti, or piebald (carrier)
SD Locus (Shedding)	sd/SD	Moderate shedding
Sex Determination	X/X	Female
Social Behavior	WT/M; WT/WT	May demonstrate more social behavior
Social Behavior, Variant 1	1	
Social Behavior, Variant 2	0	
T Locus (Natural Bobtail)	t/t	Normal tail

WT: **wild type (normal)** M: **mutant** Y: **Y chromosome (male)**

Determinants of coat colors and traits are complex. Many of these variants are known and many of the genes screened in the Canine HealthCheck interact. In addition, not all the genetic factors that contribute to a dog's coat color and traits are known. Because of the complexities in gene-gene interactions, the coat colors and traits reported in your Canine HealthCheck results may vary from your dog's actual appearance. Individual differences in genes throughout the canine genome, not tested in this genetic screen, may also affect the final coat color or traits seen in your dog.

Explanation of Results

Normal	A 'Normal' result means that your dog does not have the mutation that causes the associated genetic disease.
Carrier	A 'Carrier' result indicates that your dog has inherited one copy of the mutation that has been reported to cause this genetic disease. Your dog may not be clinically affected by this mutation because two copies of the mutation are usually required to cause disease.

Breed Profile

Disease Name

Degenerative Myelopathy

Degenerative Myelopathy (Bernese Mountain Dog Variant)
Degenerative Myelopathy (Common Variant)

Genotype

WT/WT

0
0

Interpretation

Normal (Clear)

Ehlers-Danlos Syndrome

Ehlers-Danlos Syndrome (Variant 1)
Ehlers-Danlos Syndrome (Variant 2)

WT/WT

0
0

Normal (Clear)

GM2 Gangliosidosis (Poodle Type)

WT/WT

Normal (Clear)

Hereditary Cataracts

WT/WT

Normal (Clear)

Intervertebral Disc Disease Risk Factor and Chondrodystrophy (CDDY with IVDD)

WT/WT

Normal (Clear)

Multidrug Resistance 1

WT/WT

Normal (Clear)

Neonatal Encephalopathy with Seizures

WT/WT

Normal (Clear)

Osteochondrodysplasia

WT/WT

Normal (Clear)

Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration (prcd)

WT/WT

Normal (Clear)

Progressive Retinal Atrophy, Rod-Cone Dysplasia 4

WT/WT

Normal (Clear)

Von Willebrand Disease I

WT/WT

Normal (Clear)

Coat Colors & Traits

Trait Name

A Locus (Agouti)

Genotype

a^t/a

Interpretation

Tricolor, black and tan
(carries bicolor/solid)

A^s Locus (Saddle Tan)

N/A^s

Saddle tan/creeping tan
(non saddle tan carrier)

B Locus (Brown)

B/B

Black coat, nose and
foot pads (does not
carry brown)

ocus (Brown) - b^a

ocus (Brown) - b^c

Locus (Brown) - b^d

B Locus (Brown) - b^h

0
0
0
0

<u>M Locus (Merle)</u>	m/m	Non merle
<u>Polydactyly (Common Variant)</u>	pd/pd	Normal (typical) toes (likely no hind dewclaws)
<u>Polydactyly (Great Pyrenees Type)</u>	WT/WT	Normal (Clear)
<u>R Locus (Roan/Ticked)</u>	r/r	No roan or ticking
R Locus (Roan/Ticked) - R ^T i	0	
R Locus (Roan/Ticked) - R	0	
<u>S Locus (White Spotting, Parti, or Piebald)</u>	S/s ^P	Limited white spotting, flash, parti, or piebald (carrier)
<u>SD Locus (Shedding)</u>	sd/SD	Moderate shedding
<u>Sex Determination</u>	X/X	Female
<u>Social Behavior</u>	WT/M; WT/WT	May demonstrate more social behavior
Social Behavior, Variant 1	1	
Social Behavior, Variant 2	0	
<u>T Locus (Natural Bobtail)</u>	t/t	Normal tail

WT: **wild type (normal)** M: **mutant** Y: **Y chromosome (male)**

Determinants of coat colors and traits are complex. Many of these variants are known and many of the genes screened in the Canine HealthCheck interact. In addition, not all the genetic factors that contribute to a dog's coat color and traits are known. Because of the complexities in gene-gene interactions, the coat colors and traits reported in your Canine HealthCheck results may vary from your dog's actual appearance. Individual differences in genes throughout the canine genome, not tested in this genetic screen, may also affect the final coat color or traits seen in your dog.

Diseases

Disease Name	Genotype	Interpretation
<u>Acral Mutilation Syndrome</u>	WT/WT	Normal (Clear)
<u>Acute Respiratory Distress Syndrome</u>	WT/WT	Normal (Clear)
<u>Adult Paroxysmal Dyskinesia</u>	WT/WT	Normal (Clear)
<u>Afibrinogenemia (Dachshund Type)</u>	WT/WT	Normal (Clear)
<u>Alaskan Husky Encephalopathy</u>	WT/WT	Normal (Clear)
<u>Alaskan Malamute Polyneuropathy</u>	WT/WT	Normal (Clear)
<u>Amelogenesis Imperfecta (Italian Greyhound Type)</u>	WT/WT	Normal (Clear)
<u>Amelogenesis Imperfecta (Parson Russell Terrier Type)</u>	WT/WT	Normal (Clear)

<u>Ataxia (Norwegian Buhund Type).</u>	WT/WT	Normal (Clear)
<u>Benign Familial Juvenile Epilepsy.</u>	WT/WT	Normal (Clear)
<u>Bernard-Soulier Syndrome</u>	WT/WT	Normal (Clear)
<u>Canine Multiple System Degeneration (Chinese Crested Type).</u>	WT/WT	Normal (Clear)
<u>Canine Multiple System Degeneration (Kerry Blue Terrier Type).</u>	WT/WT	Normal (Clear)
<u>Canine Scott Syndrome</u>	WT/WT	Normal (Clear)
<u>Cardiomyopathy and Juvenile Mortality.</u>	WT/WT	Normal (Clear)
<u>Catalase Deficiency.</u>	WT/WT	Normal (Clear)
<u>Centronuclear Myopathy.</u>	WT/WT	Normal (Clear)
<u>Cerebellar Ataxia (Finnish Hound Type).</u>	WT/WT	Normal (Clear)
<u>Cerebellar Ataxia 1 (Belgian Shepherd Type).</u>	WT/WT	Normal (Clear)
<u>Cerebellar Ataxia 2 (Belgian Shepherd Type).</u>	WT/WT	Normal (Clear)
<u>Cerebellar Cortical Degeneration</u>	WT/WT	Normal (Clear)
<u>Cerebellar Degeneration</u>	WT/WT	Normal (Clear)
<u>Charcot-Marie-Tooth Disease</u>	WT/WT	Normal (Clear)
<u>Chondrodysplasia (Karelian Bear Dog and Norwegian Elkhound Type).</u>	WT/WT	Normal (Clear)
<u>Cleft Palate and Syndactyly (Nova Scotia Duck Tolling Retriever Type).</u>	WT/WT	Normal (Clear)
<u>Coagulation Factor VII Deficiency.</u>	WT/WT	Normal (Clear)
<u>Collie Eye Anomaly.</u>	WT/WT	Normal (Clear)
<u>Complement 3 Deficiency.</u>	WT/WT	Normal (Clear)
<u>Cone Degeneration</u>	WT/WT	Normal (Clear)
<u>Cone Degeneration (German Shepherd Dog Type).</u>	WT/WT	Normal (Clear)
<u>Cone Degeneration (German Shorthaired Pointer Type).</u>	WT/WT	Normal (Clear)
<u>Cone Degeneration (Labrador Retriever Type).</u>	WT/WT	Normal (Clear)
<u>Congenital Hypothyroidism with Goiter (Terrier Type).</u>	WT/WT	Normal (Clear)
<u>Congenital Idiopathic Megaesophagus Risk Factor (German Shepherd Type).</u>	WT/WT	Normal (Clear)
<u>Congenital Macrothrombocytopenia (Cairn and Norfolk Terrier Type).</u>	WT/WT	Normal (Clear)

<u>Congenital Methemoglobinemia</u>	WT/WT	Normal (Clear)
<u>Congenital Myasthenic Syndrome (Golden Retriever Type).</u>	WT/WT	Normal (Clear)
<u>Congenital Myasthenic Syndrome (Jack Russell Terrier Type).</u>	WT/WT	Normal (Clear)
<u>Congenital Myasthenic Syndrome (Labrador Retriever Type).</u>	WT/WT	Normal (Clear)
<u>Congenital Myasthenic Syndrome (Old Danish Pointer Type).</u>	WT/WT	Normal (Clear)
<u>Congenital Stationary Night Blindness</u>	WT/WT	Normal (Clear)
<u>Copper Storage Disease</u>	WT/WT	Normal (Clear)
<u>Cranio-mandibular Osteopathy.</u>	WT/WT	Normal (Clear)
<u>Cyclic Neutropenia</u>	WT/WT	Normal (Clear)
<u>Cystinuria (Australian Cattle Dog Type).</u>	WT/WT	Normal (Clear)
<u>Cystinuria (Labrador Retriever Type).</u>	WT/WT	Normal (Clear)
<u>Cystinuria (Miniature Pinscher Type).</u>	WT/WT	Normal (Clear)
<u>Cystinuria (Newfoundland Type).</u>	WT/WT	Normal (Clear)
<u>Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 3).</u>	WT/WT	Normal (Clear)
<u>Cystinuria Type 3 (Bulldog Type Risk Factor, Variants 1 and 2).</u>	WT/WT	Normal (Clear)
Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 1)	0	
Cystinuria Type 3 (Bulldog Type Risk Factor, Variant 2)	0	
<u>Dandy-Walker-Like Malformation</u>	WT/WT	Normal (Clear)
<u>Darier Disease and Associated Infundibular Cyst Formation</u>	WT/WT	Normal (Clear)
<u>Deafness and Vestibular Dysfunction (Doberman Pinscher Type), Variant 2</u>	WT/WT	Normal (Clear)
<u>Degenerative Myelopathy.</u>	WT/WT	Normal (Clear)
Degenerative Myelopathy (Bernese Mountain Dog Variant)	0	
Degenerative Myelopathy (Common Variant)	0	
<u>Degenerative Myelopathy Early-Onset Risk Modifier (Pembroke Welsh Corgi Type).</u>	WT/WT	Normal (Clear)
<u>Dental Hypomineralization</u>	WT/WT	Normal (Clear)
<u>Diffuse Cystic Renal Dysplasia and Hepatic Fibrosis</u>	WT/WT	Normal (Clear)

<u>Dilated Cardiomyopathy (Doberman Pinscher Type Risk Factor, Variant 1)</u>	WT/WT	Normal (Clear)
<u>Dilated Cardiomyopathy (Doberman Pinscher Type Risk Factor, Variant 2)</u>	WT/WT	Normal (Clear)
<u>Dilated Cardiomyopathy (Schnauzer Type)</u>	WT/WT	Normal (Clear)
<u>Dry Eye Curly Coat Syndrome</u>	WT/WT	Normal (Clear)
<u>Dystrophic Epidermolysis Bullosa (Basset Hound Type)</u>	WT/WT	Normal (Clear)
<u>Dystrophic Epidermolysis Bullosa (Golden Retriever Type)</u>	WT/WT	Normal (Clear)
<u>Early Onset Adult Deafness (Rhodesian Ridgeback Type)</u>	WT/WT	Normal (Clear)
<u>Early Retinal Degeneration</u>	WT/WT	Normal (Clear)
<u>Early-Onset Epilepsy (Parson Russell Terrier Type)</u>	WT/WT	Normal (Clear)
<u>Ectodermal Dysplasia (Chesapeake Bay Retriever Type)</u>	WT/WT	Normal (Clear)
<u>Ectodermal Dysplasia, X-Linked (Dachshund Type)</u>	WT/WT	X-Linked Female Normal
<u>Ectodermal Dysplasia, X-Linked (Shepherd Type)</u>	WT/WT	X-Linked Female Normal
<u>Ehlers-Danlos Syndrome</u>	WT/WT	Normal (Clear)
Ehlers-Danlos Syndrome (Variant 1)	0	
Ehlers-Danlos Syndrome (Variant 2)	0	
<u>Ehlers-Danlos Syndrome (Doberman Pinscher Type)</u>	WT/WT	Normal (Clear)
<u>Ehlers-Danlos Syndrome (Labrador Retriever Type), Variant 1</u>	WT/WT	Normal (Clear)
<u>Ehlers-Danlos Syndrome (Labrador Retriever Type), Variant 2</u>	WT/WT	Normal (Clear)
<u>Elliptocytosis</u>	WT/WT	Normal (Clear)
<u>Epidermolytic Hyperkeratosis</u>	WT/WT	Normal (Clear)
<u>Episodic Falling Syndrome</u>	WT/WT	Normal (Clear)
<u>Exercise-Induced Collapse</u>	WT/WT	Normal (Clear)
<u>Exfoliative Cutaneous Lupus Erythematosus (ECLE)</u>	WT/WT	Normal (Clear)
<u>Factor XI Deficiency</u>	WT/WT	Normal (Clear)
<u>Familial Nephropathy (Cocker Spaniel Type)</u>	WT/WT	Normal (Clear)
<u>Familial Nephropathy (English Springer Spaniel Type)</u>	WT/WT	Normal (Clear)

<u>Fucosidosis</u>	WT/WT	Normal (Clear)
<u>Gallbladder Mucoceles</u>	WT/WT	Normal (Clear)
<u>Glanzmann's Thrombasthenia (Great Pyrenees Type).</u>	WT/WT	Normal (Clear)
<u>Glanzmann's Thrombasthenia (Otterhound Type).</u>	WT/WT	Normal (Clear)
<u>Glaucoma (Border Collie Type).</u>	WT/WT	Normal (Clear)
<u>Globoid Cell Leukodystrophy (Irish Setter Type).</u>	WT/WT	Normal (Clear)
<u>Globoid Cell Leukodystrophy (Terrier Type).</u>	WT/WT	Normal (Clear)
<u>Glycogen Storage Disease Ia</u>	WT/WT	Normal (Clear)
<u>Glycogen Storage Disease IIIa</u>	WT/WT	Normal (Clear)
<u>Glycogen Storage Disease VII (Wachtelhund Type).</u>	WT/WT	Normal (Clear)
<u>Glycogen Storage Disease VII, PFK Deficiency.</u>	WT/WT	Normal (Clear)
<u>GM1 Gangliosidosis (Alaskan Husky Type).</u>	WT/WT	Normal (Clear)
<u>GM1 Gangliosidosis (Portuguese Water Dog Type).</u>	WT/WT	Normal (Clear)
<u>GM1 Gangliosidosis (Shiba Inu Type).</u>	WT/WT	Normal (Clear)
<u>GM2 Gangliosidosis (Japanese Chin Type).</u>	WT/WT	Normal (Clear)
<u>GM2 Gangliosidosis (Poodle Type).</u>	WT/WT	Normal (Clear)
<u>GM2 Gangliosidosis (Shiba Inu Type).</u>	WT/WT	Normal (Clear)
<u>Greyhound Polyneuropathy.</u>	WT/WT	Normal (Clear)
<u>Hemophilia A (Boxer Type).</u>	WT/WT	X-Linked Female Normal
<u>Hemophilia A (German Shepherd Dog, Type 1).</u>	WT/WT	X-Linked Female Normal
<u>Hemophilia A (German Shepherd Dog, Type 2).</u>	WT/WT	X-Linked Female Normal
<u>Hemophilia A (Rhodesian Ridgeback Type).</u>	WT/WT	X-Linked Female Normal
<u>Hemophilia B (Cairn Terrier Type).</u>	WT/WT	X-Linked Female Normal
<u>Hemophilia B (Lhasa Apso Type).</u>	WT/WT	X-Linked Female Normal
<u>Hemophilia B (Rhodesian Ridgeback Type).</u>	WT/WT	X-Linked Female Normal
<u>Hereditary Ataxia (Australian Shepherd Type).</u>	WT/WT	Normal (Clear)
<u>Hereditary Cataracts (Australian Shepherd Type).</u>	WT/WT	Normal (Clear)
<u>Hereditary Cataracts</u>	WT/WT	Normal (Clear)
<u>Hereditary Cataracts (Wirehaired Pointing Griffon Type).</u>	WT/WT	Normal (Clear)

<u>Hereditary Footpad Hyperkeratosis (Irish Terrier and Kromfohrlander Type).</u>	WT/WT	Normal (Clear)
<u>Hereditary Footpad Hyperkeratosis (Rottweiler Type).</u>	WT/WT	Normal (Clear)
<u>Hereditary Nasal Parakeratosis (Greyhound Type).</u>	WT/WT	Normal (Clear)
<u>Hereditary Nasal Parakeratosis (Labrador Retriever Type).</u>	WT/WT	Normal (Clear)
<u>Hereditary Nephritis (Samoyed Type).</u>	WT/WT	X-Linked Female Normal
<u>Hyperuricosuria</u>	WT/WT	Normal (Clear)
<u>Hypomyelination (Weimaraner Type).</u>	WT/WT	Normal (Clear)
<u>Ichthyosis (American Bulldog Type).</u>	WT/WT	Normal (Clear)
<u>Ichthyosis (Golden Retriever Type 1).</u>	WT/WT	Normal (Clear)
<u>Ichthyosis (Golden Retriever Type 2).</u>	WT/WT	Normal (Clear)
<u>Ichthyosis (Great Dane Type).</u>	WT/WT	Normal (Clear)
<u>Ichthyosis (Jack Russell Terrier Type).</u>	WT/WT	Normal (Clear)
<u>Inflammatory Myopathy (Shepherd Type).</u>	WT/WT	Normal (Clear)
<u>Inherited Myopathy of Great Danes</u>	WT/WT	Normal (Clear)
<u>Intervertebral Disc Disease Risk Factor and Chondrodystrophy (CDDY with IVDD).</u>	WT/WT	Normal (Clear)
<u>Intestinal Cobalamin Malabsorption (Beagle Type).</u>	WT/WT	Normal (Clear)
<u>Intestinal Cobalamin Malabsorption (Border Collie Type).</u>	WT/WT	Normal (Clear)
<u>Intestinal Cobalamin Malabsorption (Giant Schnauzer Type).</u>	WT/WT	Normal (Clear)
<u>Intestinal Lipid Malabsorption</u>	WT/WT	Normal (Clear)
<u>Junctional Epidermolysis Bullosa (Australian Shepherd Type).</u>	WT/WT	Normal (Clear)
<u>Juvenile Laryngeal Paralysis and Polyneuropathy (Black Russian Terrier Type).</u>	WT/WT	Normal (Clear)
<u>Juvenile Myoclonic Epilepsy (Rhodesian Ridgeback Type).</u>	WT/WT	Normal (Clear)
<u>L-2-Hydroxyglutaric Aciduria (Staffordshire Bull Terrier Type).</u>	WT/WT	Normal (Clear)
<u>L-2-Hydroxyglutaric Aciduria (Yorkshire Terrier Type).</u>	WT/WT	Normal (Clear)
<u>Lagotto Storage Disorder</u>	WT/WT	Normal (Clear)

<u>Laryngeal Paralysis and Polyneuropathy_(Leonberger Type 3).</u>	WT/WT	Normal (Clear)
<u>Late Onset Ataxia</u>	WT/WT	Normal (Clear)
<u>Lethal Acrodermatitis</u>	WT/WT	Normal (Clear)
<u>Leukocyte Adhesion Deficiency, Type I</u>	WT/WT	Normal (Clear)
<u>Leukocyte Adhesion Deficiency, Type III</u>	WT/WT	Normal (Clear)
<u>Ligneous Membranitis</u>	WT/WT	Normal (Clear)
<u>Limb-Girdle Muscular Dystrophy_(Dachshund Type).</u>	WT/WT	Normal (Clear)
<u>Lundehund Syndrome</u>	WT/WT	Normal (Clear)
<u>Macular Corneal Dystrophy_(Labrador Retriever Type).</u>	WT/WT	Normal (Clear)
<u>Mammary Tumors_(English Springer Spaniel Type Risk Factor).</u>	WT/M	May be at risk for mammary cancer
<u>May-Hegglin Anomaly.</u>	WT/WT	Normal (Clear)
<u>Microphthalmia</u>	WT/WT	Normal (Clear)
<u>Mucopolysaccharidosis I_(Boston Terrier Type).</u>	WT/WT	Normal (Clear)
<u>Mucopolysaccharidosis I_(Plott Hound Type).</u>	WT/WT	Normal (Clear)
<u>Mucopolysaccharidosis IIIA_(Dachshund Type).</u>	WT/WT	Normal (Clear)
<u>Mucopolysaccharidosis IIIA_(New Zealand Huntaway Type).</u>	WT/WT	Normal (Clear)
<u>Mucopolysaccharidosis IIIB_(Schipperke Type).</u>	WT/WT	Normal (Clear)
<u>Mucopolysaccharidosis VI_(Miniature Schnauzer Type).</u>	WT/WT	Normal (Clear)
<u>Mucopolysaccharidosis VII_(Brazilian Terrier Type).</u>	WT/WT	Normal (Clear)
<u>Mucopolysaccharidosis VII_(Shepherd Type).</u>	WT/WT	Normal (Clear)
<u>Multidrug Resistance 1</u>	WT/WT	Normal (Clear)
<u>Multifocal Retinopathy 1</u>	WT/WT	Normal (Clear)
<u>Multifocal Retinopathy 2</u>	WT/WT	Normal (Clear)
<u>Multifocal Retinopathy 3</u>	WT/WT	Normal (Clear)
<u>Muscular Dystrophy_(Golden Retriever Type).</u>	WT/WT	X-Linked Female Normal
<u>Musladin-Lueke Syndrome</u>	WT/WT	Normal (Clear)
<u>Myostatin Deficiency_(Whippet and Longhaired Whippet Type).</u>	WT/WT	Normal (Clear)
<u>Myotonia Congenita_(Australian Cattle Dog Type).</u>	WT/WT	Normal (Clear)

<u>Myotonia Congenita (Labrador Retriever Type).</u>	WT/WT	Normal (Clear)
<u>Myotonia Congenita (Schnauzer Type).</u>	WT/WT	Normal (Clear)
<u>Myotubular Myopathy 1 (Boykin Spaniel Type).</u>	WT/WT	X-Linked Female Normal
<u>Myotubular Myopathy 1 (Labrador Retriever Type).</u>	WT/WT	X-Linked Female Normal
<u>Myotubular Myopathy 1 (Rottweiler Type).</u>	WT/WT	X-Linked Female Normal
<u>Narcolepsy (Dachshund Type).</u>	WT/WT	Normal (Clear)
<u>Narcolepsy (Doberman Pinscher Type).</u>	WT/WT	Normal (Clear)
<u>Narcolepsy (Labrador Retriever Type).</u>	WT/WT	Normal (Clear)
<u>Neonatal Ataxia</u>	WT/WT	Normal (Clear)
<u>Neonatal Cerebellar Cortical Degeneration</u>	WT/WT	Normal (Clear)
<u>Neonatal Encephalopathy with Seizures</u>	WT/WT	Normal (Clear)
<u>Neuroaxonal Dystrophy (Giant Schnauzer Type).</u>	WT/WT	Normal (Clear)
<u>Neuroaxonal Dystrophy (Papillon Type).</u>	WT/WT	Normal (Clear)
<u>Neuroaxonal Dystrophy (Rottweiler Type).</u>	WT/WT	Normal (Clear)
<u>Neuroaxonal Dystrophy (Spanish Water Dog Type).</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis (Tibetan Terrier Type).</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 1 (Cane Corso Type).</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 1</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 10</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 12</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 2</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 4A</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 5 (Golden Retriever Type).</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 5 (Herding Dog Type).</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 6</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 7</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 8 (Australian Shepherd Type).</u>	WT/WT	Normal (Clear)
<u>Neuronal Ceroid Lipofuscinosis 8 (Setter Type).</u>	WT/WT	Normal (Clear)
<u>Nonsyndromic Hearing Loss (Rottweiler Type).</u>	WT/WT	Normal (Clear)


<u>Oculocutaneous Albinism (Doberman Pinscher Type).</u>	WT/WT	Normal (Clear)
<u>Oculocutaneous Albinism (Small Breed Type).</u>	WT/WT	Normal (Clear)
<u>Osteochondrodysplasia</u>	WT/WT	Normal (Clear)
<u>Osteogenesis Imperfecta (Beagle Type).</u>	WT/WT	Normal (Clear)
<u>Osteogenesis Imperfecta (Dachshund Type).</u>	WT/WT	Normal (Clear)
<u>Osteogenesis Imperfecta (Golden Retriever Type).</u>	WT/WT	Normal (Clear)
<u>P2RY12 Receptor Platelet Disorder</u>	WT/WT	Normal (Clear)
<u>Pancreatitis (Miniature Schnauzer Type Risk Factor).</u>	WT/WT	Normal (Clear)
Pancreatitis (Miniature Schnauzer Type Risk Factor), Variant 1	0	
Pancreatitis (Miniature Schnauzer Type Risk Factor), Variant 2	0	
Pancreatitis (Miniature Schnauzer Type Risk Factor), Variant 3	0	
<u>Pembroke Welsh Corgi Duchenne Muscular Dystrophy.</u>	WT/WT	X-Linked Female Normal
<u>Persistent Müllerian Duct Syndrome</u>	WT/WT	Normal (Clear)
<u>Pituitary Dwarfism (Shepherd Type).</u>	WT/WT	Normal (Clear)
<u>Polyneuropathy (Leonberger and Saint Bernard Type).</u>	WT/WT	Normal (Clear)
<u>Polyneuropathy (Leonberger Type 2).</u>	WT/WT	Normal (Clear)
<u>Polyneuropathy with Ocular Abnormalities and Neuronal Vacuolation</u>	WT/WT	Normal (Clear)
<u>Pompe Disease</u>	WT/WT	Normal (Clear)
<u>Prekallikrein Deficiency.</u>	WT/WT	Normal (Clear)
<u>Primary Ciliary Dyskinesia (Alaskan Malamute Type).</u>	WT/WT	Normal (Clear)
<u>Primary Ciliary Dyskinesia (Old English Sheepdog Type).</u>	WT/WT	Normal (Clear)
<u>Primary Hyperoxaluria</u>	WT/WT	Normal (Clear)
<u>Primary Lens Luxation</u>	WT/WT	Normal (Clear)
<u>Primary Open Angle Glaucoma (Basset Fauve de Bretagne Type).</u>	WT/WT	Normal (Clear)
<u>Primary Open Angle Glaucoma (Basset Hound Type).</u>	WT/WT	Normal (Clear)
<u>Primary Open Angle Glaucoma</u>	WT/WT	Normal (Clear)
<u>Primary Open Angle Glaucoma (Norwegian Elkhound Type).</u>	WT/WT	Normal (Clear)
<u>Primary Open Angle Glaucoma and Primary Lens Luxation (Shar Pei Type).</u>	WT/WT	Normal (Clear)

<u>Progressive Retinal Atrophy (Basenji Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy (Bullmastiff/Mastiff Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy (Giant Schnauzer Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy (Irish Setter Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy (Shetland Sheepdog Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy (Sloughi Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Cone-Rod Dystrophy (Dachshund Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Cone-Rod Dystrophy 1 (American Staffordshire Terrier Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Cone-Rod Dystrophy 2 (American Staffordshire Terrier Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Cone-Rod Dystrophy 3 (Glen of Imaal Terrier Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Cone-Rod Dystrophy 4</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Early Onset (Spanish Water Dog Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Early-Onset (Portuguese Water Dog Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Generalized (Schapendoes Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Golden Retriever 1</u>	No Result	No Result
<u>Progressive Retinal Atrophy, Golden Retriever 2</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Late-Onset (Lapponian Herder Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, PRA1 (Papillon Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, PRA3 (Tibetan Terrier and Spaniel Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Progressive Rod-Cone Degeneration (prcd)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Rod-Cone Dysplasia 3</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Rod-Cone Dysplasia 4</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, Syndromic Retinal Degeneration (Shetland Sheepdog Type)</u>	WT/WT	Normal (Clear)
<u>Progressive Retinal Atrophy, X-Linked 1 (Husky Type)</u>	WT/WT	X-Linked Female Normal

<u>Progressive Retinal Atrophy, X-linked 2</u>	WT/WT	X-Linked Female Normal
<u>Protein Losing Nephropathy</u>	WT/WT, WT/WT	Normal (Clear) - No Increased Risk
Protein Losing Nephropathy (Variant 1)	0	
Protein Losing Nephropathy (Variant 2)	0	
<u>Pyruvate Dehydrogenase Deficiency</u>	WT/WT	Normal (Clear)
<u>Pyruvate Kinase Deficiency (Basenji Type)</u>	WT/WT	Normal (Clear)
<u>Pyruvate Kinase Deficiency (Beagle Type)</u>	WT/WT	Normal (Clear)
<u>Pyruvate Kinase Deficiency (Labrador Retriever Type)</u>	WT/WT	Normal (Clear)
<u>Pyruvate Kinase Deficiency (Pug Type)</u>	WT/WT	Normal (Clear)
<u>Pyruvate Kinase Deficiency (Terrier Type)</u>	WT/WT	Normal (Clear)
<u>Recurrent Inflammatory Pulmonary Disease</u>	WT/WT	Normal (Clear)
<u>Renal Cystadenocarcinoma and Nodular Dermatofibrosis</u>	WT/WT	Normal (Clear)
<u>Retinal Dysplasia/Oculoskeletal Dysplasia 1</u>	WT/WT	Normal (Clear)
<u>Retinal Dysplasia/Oculoskeletal Dysplasia 2</u>	WT/WT	Normal (Clear)
<u>Sensory Neuropathy (Border Collie Type)</u>	WT/WT	Normal (Clear)
<u>Severe Combined Immunodeficiency Disease (Terrier Type)</u>	WT/WT	Normal (Clear)
<u>Severe Combined Immunodeficiency Disease (Wetterhoun Type)</u>	WT/WT	Normal (Clear)
<u>Severe Combined Immunodeficiency Disease, X-Linked (Basset Hound Type)</u>	WT/WT	X-Linked Female Normal
<u>Severe Combined Immunodeficiency Disease, X-Linked (Corgi Type)</u>	WT/WT	X-Linked Female Normal
<u>Shar-Pei Autoinflammatory Disease</u>	WT/WT	Normal (Clear)
<u>Skeletal Dysplasia 2</u>	WT/WT	Normal (Clear)
<u>Spinal Dysraphism</u>	WT/WT	Normal (Clear)
<u>Spinocerebellar Ataxia (Alpine Dachsbrake Type)</u>	WT/WT	Normal (Clear)
<u>Spinocerebellar Ataxia (Terrier Type)</u>	WT/WT	Normal (Clear)
<u>Spondylocostal Dysostosis</u>	WT/WT	Normal (Clear)
<u>Stargardt Disease</u>	No Result	No Result
<u>Startle Disease</u>	WT/WT	Normal (Clear)

<u>Subacute Necrotizing Encephalopathy (Yorkshire Terrier Type).</u>	WT/WT	Normal (Clear)
<u>Thrombopathia (American Eskimo Dog Type).</u>	WT/WT	Normal (Clear)
<u>Thrombopathia (Basset Hound Type).</u>	WT/WT	Normal (Clear)
<u>Thrombopathia (Newfoundland Type).</u>	WT/WT	Normal (Clear)
<u>Trapped Neutrophil Syndrome</u>	WT/WT	Normal (Clear)
<u>Ullrich Congenital Muscular Dystrophy (Labrador Retriever Type 1).</u>	WT/WT	Normal (Clear)
<u>Ullrich Congenital Muscular Dystrophy (Labrador Retriever Type 2).</u>	WT/WT	Normal (Clear)
<u>Urolithiasis (Native American Indian Dog Type).</u>	WT/WT	Normal (Clear)
<u>Van Den Ende-Gupta Syndrome</u>	WT/WT	Normal (Clear)
<u>Von Willebrand Disease I</u>	WT/WT	Normal (Clear)
<u>Von Willebrand Disease II</u>	WT/WT	Normal (Clear)
<u>Von Willebrand Disease III (Kooikerhondje Type).</u>	WT/WT	Normal (Clear)
<u>Von Willebrand Disease III (Scottish Terrier Type).</u>	WT/WT	Normal (Clear)
<u>Von Willebrand Disease III (Shetland Sheepdog Type).</u>	WT/WT	Normal (Clear)

WT: wild type (normal) M: mutant Y: Y chromosome (male)



Helen F Smith, PhD

Associate Laboratory Director



Christina J Ramirez, PhD, DVM, DACVP

Medical Director

Canine HealthCheck® is a product of Paw Print Genetics®. This test was developed and its performance determined by Paw Print Genetics. This laboratory has established and verified the test's accuracy and precision with >99% sensitivity and specificity. The results included in this report relate only to the items tested using the sample provided. The presence of mosaicism may not be detected by this test. Non-paternity may lead to unexpected results. This is not a diagnostic test. This is not a breed identification test. Because all tests are DNA-based, rare genomic variations may interfere with the performance of some individual tests producing false results. If you think any results are in error, please contact the laboratory for further evaluation.